#### **MATERIAL SAFETY DATA SHEET**

### 1. Product and Company Identification

Product Name

CAS # Mixture


Product use Lens wipes

Manufacturer Australian Supreme Import


83 Boulder Road MALAGA WA 6090

Tel: 08 9208 7288 Fax: 08 9208 7299

www.australiansupremeimport.com







### 2. Hazards Identification

Emergency overview WARNING

EYE IRRITANT. Skin irritation possible with prolonged exposure.

Contains a potential mutagen.

Potential short term health effects

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

**Eyes** Causes irritation.

**Skin** Prolonged exposure may cause skin irritation. May be absorbed through the skin.

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central

nervous system effects (headache, dizziness).

**Ingestion** Not a normal route of exposure. May cause stomach distress, nausea or vomiting.

Target organs Blood. Eyes. Liver. Respiratory system. Skin.

**Chronic effects** Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

vomiting.

# 3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Ethanol	64-17-5	10 - 20
Isopropanol	67-63-0	15 - 40

#### 4. First Aid Measures

First aid procedures

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing.

Obtain medical attention if irritation persists.

**Skin contact** Flush with cool water. Wash with soap and water. Obtain medical attention if irritation

persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

Page 1 of 6 Issue date 20-Feb-2010

Ingestion Not a normal route of exposure. Do not induce vomiting. Rinse mouth with water, then

drink one or two glasses of water. Obtain medical attention. Never give anything by

mouth if victim is unconscious, or is convulsing.

Notes to physician

General advice

Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with

eyes and skin. Wear suitable protective clothing. Keep out of reach of children.

### 5. Fire Fighting Measures

Flammable properties

Not flammable per ICAO Test Method 1.1.2.1

Extinguishing media

Suitable extinguishing media Carbon dioxide. Alcohol foam. Dry chemical.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefiahters

Firefighters should wear full protective clothing including self contained breathing

apparatus.

**Hazardous combustion products** 

**Explosion data** 

Not available

Sensitivity to mechanical

impact

Not available Sensitivity to static discharge

### 6. Accidental Release Measures

May include and are not limited to: Oxides of carbon.

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do

not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Methods for containment Methods for cleaning up

Prevent entry into waterways, sewers, basements or confined areas. Pick up and discard towel.

Other information Pick up and discard towel.

# 7. Handling and Storage

Handling Use good industrial hygiene practices in handling this material.

Keep out of reach of children. Store in a closed container away from incompatible Storage

materials.

# 8. Exposure Controls / Personal Protection

### **Exposure limits**

Ingredient(s) **Exposure Limits** 

Ethanol **ACGIH-TLV** TWA: 1000 ppm

> **OSHA-PEL** TWA: 1000 ppm

Isopropanol **ACGIH-TLV** 

TWA: 200 ppm STEL: 400 ppm **OSHA-PEL** 

TWA: 400 ppm General ventilation normally adequate.

**Engineering controls** 

Personal protective equipment

Eye / face protection Hand protection

Not normally required when used as directed. Not normally required when used as directed.

> Page 2 of 6 Issue date 20-Feb-2010

Skin and body protection As required by employer code.

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respiratory protection

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

### 9. Physical & Chemical Properties

Liquid saturated on wipe **Appearance** Color Clear, colorless on a wipe Pre-moistened towelette. Form

Odor Slight Alcohol Not available Odor threshold

Physical state Pre-moistened towelette

рH Not available Not available **Melting point** Not available Freezing point **Boiling point** Not available

26.66 °C (80 °F) (Liquid) Closed Cup Flash point

**Evaporation rate** Flammability limits in air, lower, % by volume

Not available Not available

Flammability limits in air, upper, %

by volume

Not applicable

Not available Vapor pressure Vapor density Not available Specific gravity 0.953 (Liquid) Octanol/water coefficient Not available

Pad is not soluble in water Solubility (H2O)

Auto-ignition temperature Not available

VOC (Weight %)

Not available Viscosity Not available Percent volatile

# 10. Chemical Stability & Reactivity Information

Chemical stability Stable at normal conditions. Do not mix with other chemicals. Conditions to avoid

Acids. Oxidizers. Incompatible materials

Hazardous decomposition products May include and are not limited to: Oxides of carbon.

Hazardous polymerization does not occur. Possibility of hazardous reactions

### 11. Toxicological Information

Component analysis - LC50

Ingredient(s) **LC50** 

Ethanol 31623 ppm rat Isopropanol 16970 mg/l/4h rat

Component analysis - Oral LD50

**LD50** Ingredient(s)

Ethanol 3450 mg/kg mouse; 1501 mg/kg rat

Isopropanol 4396 mg/kg rat

Effects of acute exposure

Eye Causes irritation.

Skin Prolonged exposure may cause skin irritation. May be absorbed through the skin.

> Page 3 of 6 Issue date 20-Feb-2010

**Inhalation** Excessive intentional inhalation may cause respiratory tract irritation and central

nervous system effects (headache, dizziness).

**Ingestion** Not a normal route of exposure. May cause stomach distress, nausea or vomiting.

SensitizationNon-hazardous by WHMIS/OSHA criteria.Chronic effectsNon-hazardous by WHMIS/OSHA criteria.CarcinogenicityNon-hazardous by WHMIS/OSHA criteria.

**ACGIH - Threshold Limit Values - Carcinogens** 

Ethanol 64-17-5 A4 - Not Classifiable as a Human Carcinogen Isopropanol 67-63-0 A4 - Not Classifiable as a Human Carcinogen

IARC - Group 3 (Not Classifiable)

Isopropanol 67-63-0 Monograph 71 [1999], Supplement 7 [1987], Monograph 15 [1977]

Mutagenicity Mutagenic effects were observed in somatic and reproductive cells of live animals (rats

and mice) exposed to high oral doses of ethanol.

**Reproductive effects**Non-hazardous by WHMIS/OSHA criteria. **Teratogenicity**Non-hazardous by WHMIS/OSHA criteria.

### 12. Ecological Information

**Ecotoxicity** Components of this product have been identified as having potential environmental

concerns.

**Ecotoxicity - Freshwater Algae Data** 

Isopropanol 67-63-0 96 Hr EC50 Scenedesmus subspicatus: >1000 mg/L; 72 Hr EC50 Scenedesmus

subspicatus: >1000 mg/L

**Ecotoxicity - Freshwater Fish Species Data** 

Ethanol 64-17-5 96 Hr LC50 Oncorhynchus mykiss: 12900 mg/L [flow-through] (30 days old); 96 Hr LC50

Pimephales promelas: 14.2 mg/L

Isopropanol 96 Hr LC50 Pimephales promelas: 9640 mg/L [flow-through]; 96 Hr LC50 Pimephales

promelas: 94900 mg/L [flow-through] (29 days old); 96 Hr LC50 Pimephales promelas:

61200 mg/L [flow-through] (31 days old)

**Ecotoxicity - Microtox Data** 

Ethanol 64-17-5 5 Min EC50 Photobacterium phosphoreum: 35470 mg/L; 30 min EC50 Photobacterium

phosphoreum: 34634 mg/L

Isopropanol 67-63-0 5 Min EC50 Photobacterium phosphoreum: 35390 mg/L

**Ecotoxicity - Water Flea Data** 

Ethanol 64-17-5 48 Hr EC50 Daphnia magna: 9268 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L

Isopropanol 67-63-0 48 Hr EC50 Daphnia magna: 13299 mg/L

Environmental effects

Aquatic toxicity

Persistence / degradability

Bioaccumulation / accumulation

Partition coefficient

Mobility in environmental media

Chemical fate information

Not available

Not available

Not available

# 13. Disposal Considerations

Waste codes Not available

**Disposal instructions** Review federal, state/provincial, and local government requirements prior to disposal.

Discard with solid waste. Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

# 14. Transport Information

**Department of Transportation (DOT)** 

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG)

Not regulated as dangerous goods.

Page 4 of 6 Issue date 20-Feb-2010

# 15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled

Products Regulations and the MSDS contains all the information required by the

Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

Ethanol 64-17-5 0.1 % Isopropanol 67-63-0 1 %

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

Isopropanol 67-63-0 1.0 % de minimis concentration (only if manufactured by the strong acid process, no

supplier notification

Occupational Safety and Health Administration (OSHA)

**29 CFR 1910.1200 hazardous** Yes

chemical

**CERCLA (Superfund) reportable quantity** 

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA)

Clean Water Act (CWA)

Safe Drinking Water Act (SDWA)

Drug Enforcement Agency (DEA)

Not available

Not available

Not available

Not available

(FDA)

WHMIS status Controlled

WHMIS classification Class D - Division 2A, 2B

Page 5 of 6 Issue date 20-Feb-2010

#### State regulations

WARNING: This product may contain a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

#### U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethanol 64-17-5 Present (refers to solutions greater than or equal to 25% which are not beverage alcohols)

Isopropanol 67-63-0 Present U.S. - California - Proposition 65 - Developmental Toxicity

Ethanol 64-17-5 developmental toxicity, initial date 10/1/87 (when in alcoholic beverages)

U.S. - Massachusetts - Right To Know List

Ethanol 64-17-5 Teratoger Isopropanol 67-63-0 Present

U.S. - Minnesota - Hazardous Substance List

Ethanol 64-17-5 Present Isopropanol 67-63-0 Present U.S. - New Jersey - Right to Know Hazardous Substance List Ethanol 64-17-5 sn 0844

Isopropanol 67-63-0 sn 1076; sn 2381 (strong-acid process manufacture)

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol 64-17-5 Present

Isopropanol 67-63-0 Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Ethanol 64-17-5 Toxic; Flammable Isopropanol 67-63-0 Toxic; Flammable

#### Inventory name

Country(s) or regionInventory nameOn inventory (yes/no)\*CanadaDomestic Substances List (DSL)NoCanadaNon-Domestic Substances List (NDSL)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

#### 16. Other Information

#### Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Page 6 of 6 Issue date 20-Feb-2010